| Referenčna oznaka | Naslov |
|----------------------------|--|
| prEN IEC 60143-4 | Series capacitors for power systems - Part 4: Thyristor controlled series capacitors |
| prEN IEC 61462 | Composite hollow insulators - Pressurized and unpressurized insulators for use in electrical equipment with rated voltage greater than 1 000 V - Definitions, test methods, acceptance criteria and design recommendations |
| prEN IEC 62772 | Composite hollow core station post insulators for substations with a.c. voltage greater than 1 000 V and d.c. voltage greater than 1 500 V - Definitions, test methods and acceptance criteria |
| EN 62475:2010/prA1 | High-current test techniques - Definitions and requirements for test currents and measuring systems - PROPOSED HORIZONTAL STANDARD |
| prEN IEC 63182-3 | Magnetic powder cores - Guidelines on dimensions and the limits of surface irregularities - Part 3: E-cores |
| prEN IEC 63142 | A global methodology for reliability data prediction of electronic components |
| prEN IEC 62127-3 | Ultrasonics - Hydrophones - Part 3: Properties of hydrophones for ultrasonic fields up to 40 MHz |
| prEN IEC 61689 | Ultrasonics - Physiotherapy systems - Field specifications and methods of measurement in the frequency range 0,5 MHz to 5 MHz |
| prEN IEC 61188-6-3 | Circuit boards and circuit board assemblies - Design and use - Part 6-3: Land pattern design - Description of land pattern for through hole components (THT) |
| prEN IEC 61189-2-805 | Test methods for electrical materials, printed board and other interconnection structures and assemblies - Part 2-805: X/Y CTE Test for Thin Base Materials by TMA |
| prEN IEC 61189-2-808 | Test methods for electrical materials, printed board and other interconnection structures and assemblies – Part 2-808: Thermal resistance of dielectric layer by thermal transient method |
| prEN IEC 61280-4-3 | Fibre-optic communication subsystem test procedures – Part 4-3: Installed passive optical networks – Attenuation and optical return loss measurements |
| EN IEC 61280-4-1:2019/prA1 | Fibre-optic communication subsystem test procedures - Part 4-1: Installed cabling plant - Multimode attenuation measurement |
| prEN IEC 62150-6 | Fibre optic active components and devices - Basic test and measurement procedures – Part 6: Universal mezzanine boards for test and measurement of photonic devices |
| prEN IEC 63370 | Lithium-Ion Batteries and Charging Systems - Safety |
| prEN IEC 62351-9 | Power systems management and associated information exchange - Data and communications security - Part 9: Cyber security key management for power system equipment |
| prEN IEC 61968-100 | Application integration at electric utilities - System interfaces for distribution management - Part 100: Implementation profiles |
| prEN IEC 63207 | Measuring methods of blue-light characteristics and related optical performances for visual display terminal (TA 2) |
| prCEN/CLC/TR 17603-31-08 | Space Engineering - Thermal design handbook - Part 8: Heat Pipes |

| prCEN/CLC/TR 17603-31-05 | Space Engineering - Thermal design handbook - Part 5: Structural Materials: Metallic and Composite |
|--------------------------|---|
| prCEN/CLC/TR 17603-31-14 | Space Engineering - Thermal design handbook - Part 14: Cryogenic Cooling |
| prCEN/CLC/TR 17603-31-04 | Space Engineering - Thermal design handbook - Part 4: Conductive Heat Transfer |
| prCEN/CLC/TR 17603-31-07 | Space Engineering - Thermal design handbook - Part 7: Insulations |
| prCEN/CLC/TR 17603-31-16 | Space Engineering - Thermal design handbook - Part 16: Thermal Protection System |
| prCEN/CLC/TR 17603-31-15 | Space Engineering - Thermal design handbook - Part 15: Existing Satellites |
| prCEN/CLC/TR 17603-31-13 | Space Engineering - Thermal design handbook - Part 13: Fluid Loops |
| prCEN/CLC/TR 17603-31-12 | Space Engineering - Thermal design handbook - Part 12: Louvers |
| prCEN/CLC/TR 17603-31-11 | Space Engineering - Thermal design handbook - Part 11: Electrical Heating |
| prCEN/CLC/TR 17603-31-10 | Space Engineering - Thermal design handbook - Part 10: Phase - Change Capacitors |
| prCEN/CLC/TR 17603-31-09 | Space Engineering - Thermal design handbook - Part 9: Radiators |
| prCEN/CLC/TR 17603-31-06 | Space Engineering - Thermal design handbook - Part 6: Thermal Control Surfaces |
| prCEN/CLC/TR 17603-31-03 | Space Engineering - Thermal design handbook - Part 3: Spacecraft Surface Temperature |
| prCEN/CLC/TR 17603-31-02 | Space Engineering - Thermal design handbook - Part 2: Holes, Grooves and Cavities |
| prCEN/CLC/TR 17603-31-01 | Space Engineering - Thermal design handbook - Part 1: View factors |
| prCEN/CLC/TR 17603-20-05 | Space engineering - High voltage engineering and design handbook |
| prEN IEC 60034-30-3 | Rotating electrical machines – Part 30-3 Efficiency classes of high voltage AC motors (IE code) |
| prEN 50576 | Electric cables - Extended application of test results for reaction to fire |
| prEN 50620 | Electric cables - Charging cables for electric vehicles |
| EN 50525-1:2011/prA1 | Electric cables - Low voltage energy cables of rated voltages up to and including 450/750 V (U0/U) - Part 1: General |
| CLC/LCC/mrTS 60070 47 | requirements Evaluative atmospheres - Part 47: Equipment protection by 2 Wire Intrinsically Safe Ethernet cancent /2 WISE) |
| CLC/IEC/prTS 60079-47 | Explosive atmospheres - Part 47: Equipment protection by 2-Wire Intrinsically Safe Ethernet concept (2-WISE) |
| prEN IEC 63322 | Security of Medical Electrical Equipment Containing High-Activity Sealed Radioactive Sources |
| prEN IEC 60806 | Determination of the maximum symmetrical radiation field of X-ray tube assemblies or X-ray source assemblies for medical diagnosis |
| prHD IEC 60364-7-702 | Low-voltage electrical installations - Part 7-702: Requirements for special installations or locations - Swimming pools and fountains |
| | |
| prEN IEC 63338 | General guidance for reuse of secondary cells and batteries |
| EN 60670-23:2008/prA1 | Boxes and enclosures for electrical accessories for household and similar fixed electrical installations - Part 23: |
| FN 60670 04 0007/ | Particular requirements for floor boxes and enclosures |
| EN 60670-21:2007/prA1 | Boxes and enclosures for electrical accessories for household and similar fixed electrical installations - Part 21: |
| | Particular requirements for boxes and enclosures with provision for suspension means |

| EN 60670-22:2006/prA1 | Boxes and enclosures for electrical accessories for household and similar fixed electrical installations - Part 22: |
|-------------------------|---|
| | Particular requirements for connecting boxes and enclosures |
| EN 60670-24:2013/prAA | Boxes and enclosures for electrical accessories for household and similar fixed electrical installations - Part 24: |
| | Particular requirements for enclosures for housing protective devices and other power dissipating electrical |
| | equipment |
| prEN IEC 61008-2-2 | Residual current operated circuit-breakers without integral overcurrent protection for household and similar uses |
| | (RCCB's) - Part 2-2: RCCBs according to 4.1.2, 4.1.3, 4.1.4, 4.1.5 and 4.1.6 |
| prEN IEC 61009-2-1 | Residual current operated circuit-breakers with integral overcurrent protection for household and similar uses |
| | (RCBO's) - Part 2-1: RCBOs according to 4.1.1 |
| prEN IEC 61008-2-1 | Residual current operated circuit-breakers without integral overcurrent protection for household and similar uses |
| | (RCCB's). Part 2-1: RCCBs according to 4.1.1 |
| prEN IEC 61540 | Electrical accessories - Portable residual current devices without integral overcurrent protection for household and |
| | similar use (PRCDs) |
| prEN IEC 61009-2-2 | Residual current operated circuit-breakers with integral overcurrent protection for household and similar uses |
| | (RCBO's) - Part 2-2: RCBOs according to 4.1.2, 4.1.3, 4.1.4, 4.1.5 and 4.1.6 |
| prEN IEC 61855 | Household and similar use electrical hair care appliances – Methods for measuring the performance |
| CLC/prTS 63331 | Electric dishwashers for household use - Methods for assessing the microbiological properties |
| prEN IEC 60512-99-002 | Connectors for electrical and electronic equipment - Tests and measurements - Part 99-002: Endurance test schedules |
| | - Test 99b: Test schedule for unmating under electrical load |
| prEN IEC 63313-2 | Insulation co-ordination for HVDC system — Part 2: Application guidelines for line-commutated converter (LCC) |
| | stations |
| prEN IEC 63313-1 | Insulation co-ordination for HVDC system — Part 1: Definitions, principles and rules |
| prEN IEC 550 16-1-4 | Specification for radio disturbance and immunity measuring apparatus and methods - Part 1-4: Radio disturbance and |
| | immunity measuring apparatus - Antennas and test sites for radiated disturbance measurements |
| prEN IEC 61084-2-4/prAA | Cable trunking systems and cable ducting systems for electrical installations – Part 2-4: Particular requirements – |
| | Service poles and service posts |
| prEN IEC 61084-2-2/prAA | EN IEC 61084-2-2 Cable trunking systems and cable ducting systems for electrical installations - Part 2-2: Particular |
| | requirements - Part 2-2: Particular requirements - Cable trunking systems and cable ducting systems intended for |
| | mounting underfloor, flushfloor, or onfloor |
| prEN IEC 61084-2-4 | Cable trunking systems and cable ducting systems for electrical installations - Part 2-4: Particular requirements - |
| | Service poles and service posts |
| prEN IEC 61084-2-2 | Cable trunking systems and cable ducting systems for electrical installations – Part 2-2: Particular requirements – |
| | Cable trunking systems and cable ducting systems intended for mounting underfloor, flushfloor, or onfloor |

| prEN IEC 61084-1 | Cable trunking systems and cable ducting systems for electrical installations - Part 1: General requirements |
|---------------------------|--|
| prEN IEC 61084-2-1/prAA | Cable trunking systems and cable ducting systems for electrical installations – Part 2-1: Cable trunking systems and |
| | cable ducting systems intended for mounting on walls and ceilings |
| prEN IEC 61084-1/prAA | Cable trunking systems and cable ducting systems for electrical installations - Part 1: General requirements |
| prEN IEC 61084-2-3 | Cable trunking systems and cable ducting systems for electrical installations - Part 2-3: Particular requirements - |
| | Slotted cable trunking systems intended for installation in cabinets |
| prEN IEC 61084-2-1 | Cable trunking systems and cable ducting systems for electrical installations - Part 2-1: Cable trunking systems and |
| | cable ducting systems intended for mounting on walls and ceilings |
| prEN IEC 61084-2-3/prAA | Cable trunking systems and cable ducting systems for electrical installations – Part 2-3: Particular requirements – |
| | Slotted cable trunking systems intended for installation in cabinets |
| CLC/prTR 50600-99-1 | Information technology - Data centre facilities and infrastructures - Part 99-1: Recommended practices for energy |
| | management |
| CLC/prTR 50600-99-2 | Information technology - Data centre facilities and infrastructures - Part 99-2: Recommended practices for |
| I | environmental sustainability |
| CLC/prTS 50600-5-1 | Information technology - Data centre facilities and infrastructures - Part 5-1: Data Centre Maturity Model specification |
| EN IEC 60747-17:2020/prAC | Semiconductor devices - Part 17: Magnetic and capacitive coupler for basic and reinforced insulation |
| prEN IEC 62909-3 | Bi-directional grid connected power converters - Part 3: EMC requirements and test methods |
| prEN IEC 61340-5-3 | Electrostatics - Part 5-3: Protection of electronic devices from electrostatic phenomena - Properties and requirements |
| | classification for packaging intended for electrostatic discharge sensitive devices |
| prEN IEC 62561-1 | Lightning protection system components (LPSC) - Part 1: Requirements for connection components |
| prEN IEC 61755-3-8 | Fibre optic interconnecting devices and passive components - Connector optical interfaces - Part 3-8: Connector |
| | parameters of non-dispersion shifted single mode physically contacting fibres – angled 2,5 mm and 1,25 mm diameter |
| | cylindrical composite ferrules using titanium as fibre surrounding material |
| prEN IEC 61753-081-03 | Fibre optic interconnecting devices and passive components – Performance standard - Part 081-03: Non- |
| | connectorized single-mode fibre optic middle-scale 1 x N DWDM devices for category OP – Outdoor protected |
| | environment |
| prEN IEC 61753-021-02 | Fibre optic interconnecting devices and passive components performance standard - Part 021-02: Grade C/2 single- |
| | mode fibre optic connectors for category C - Controlled environment |
| prEN IEC 61755-3-7 | Fibre optic interconnecting devices and passive components - Connector optical interfaces - Part 3-7: Connectors |
| | parameters of non-dispersion shifted single mode physically contacting fibres - non-angled 2,5 mm and 1,25 mm |
| | diameter cylindrical composite ferrules using titanium as fibre surrounding material |
| | |

| prEN IEC 61753-053-02 | Fibre optic interconnecting devices and passive components - Performance standard - Part 053-02: Non- |
|-----------------------|---|
| | connectorized single-mode fibre, electrically controlled, variable optical attenuator for category C - Controlled |
| | environments |
| prEN IEC 61300-2-43 | Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 2-43: |
| • | Tests - Screen testing of return loss of single-mode PC optical fibre connectors |
| prEN IEC 61753-021-06 | Fibre optic interconnecting devices and passive components - Performance standard - Part 021-06: Grade B/2 single- |
| | mode fibre optic connectors for category OP+ – Extended outdoor protected environment |
| prEN IEC 61755-3-5 | Fibre optic interconnecting devices and passive components - Connector optical interfaces - Part 3-5: Connector |
| | parameters of non-dispersion shifted single mode physically contacting fibres - non-angled 2,5 mm and 1,25 mm |
| | diameter cylindrical composite ferrule using Cu-Ni-alloy as fibre surrounding material |
| prEN IEC 61753-081-06 | Fibre optic interconnecting devices and passive components – Performance standard – Part 081-06: Non- |
| | connectorized single-mode fibre optic middle-scale 1 x N DWDM devices for category OP+ – Extended outdoor |
| | protected environment |
| prEN IEC 62077 | Fibre optic interconnecting devices and passive components - Fibre optic circulators - Generic specification |
| prEN IEC 61753-091-02 | Fibre optic interconnecting devices and passive components - Performance standard - Part 091-02: Non- |
| | connectorized single-mode fibre optic pigtailed circulators for category C - Controlled environments |
| prEN IEC 61753-089-02 | Fibre optic interconnecting devices and passive components - Performance standard - Part 089-02: Non- |
| | connectorized single-mode bidirectional OTDR monitoring WWDM devices for category C - Controlled environment |
| prEN IEC 61753-081-02 | Fibre optic interconnecting devices and passive components - Performance standard - Part 081-02: Non- |
| | connectorized single-mode fibre optic middle-scale 1 x N DWDM devices for category C - Controlled environments |
| EN 61400-13:2016/prA1 | Wind turbines - Part 13: Measurement of mechanical loads |
| prEN IEC 61400-8 | Wind energy generation systems - Part 8: Design of wind turbine structural components |
| EN 60904-5:2011/prA1 | Photovoltaic devices - Part 5: Determination of the equivalent cell temperature (ECT) of photovoltaic (PV) devices by |
| | the open-circuit voltage method |
| prEN IEC 61169-17 | Radio-frequency connectors. Part 17: R.F. coaxial connectors with inner diameter of outer conductor 6.5 mm (0.256 |
| | in) with screw coupling - Characteristic impedance 50 ohms (Type TNC) |
| prEN IEC 62271-207 | High-voltage switchgear and controlgear - Part 207: Seismic qualification for gas-insulated switchgear assemblies, |
| | metal enclosed and solid-insulation enclosed switchgear for rated voltages above 1 kV |
| prEN IEC 63333 | General method for assessing the proportion of reused components in products |
| prEN IEC 62453-2 | Field device tool (FDT) interface specification - Part 2: Concepts and detailed description |
| prEN IEC 61139-2 | Industrial networks – Single-drop digital communication interface – Part 2: Functional safety extensions |
| EN 60320-3:2014/prA2 | Appliance couplers for household and similar general purposes - Part 3: Standard sheets and gauges |

| prEN IEC 61439-7 | Low-voltage switchgear and controlgear assemblies - Part 7: Assemblies for specific applications such as marinas, |
|-----------------------------|---|
| | camping sites, market squares, electric vehicle charging stations |
| 73437 | Hydrogen in energy systems - vocabulary |
| 73438 | Safe use of hydrogen in built constructions |
| EN 60598-2-13:2006/prA11 | Luminaires - Part 2-13: Particular requirements - Ground recessed luminaires |
| prEN IEC 60598-1 (frag11) | Luminaires - Part 1: General requirements and tests |
| FprEN IEC 60598-1:2020/prAA | Luminaires - Part 1: General requirements and tests |
| EN 60838-1:2017/prA11 | Miscellaneous lampholders - Part 1: General requirements and tests |
| EN IEC 63013:2019/prA1 | LED packages - Long-term luminous and radiant flux maintenance projection |
| prEN IEC 63203-801-1 | Wearable electronic devices and technologies – Part 801-1: Smart Body Area Network (SmartBAN) – Enhanced Ultra- |
| | Low Power Physical Layer |
| prEN IEC 63203-402-2 | Wearable electronic devices and technologies – Part 402-2: Performance Measurement of Fitness Wearables – Step |
| | Counting |
| prEN IEC 63203-801-2 | Wearable electronic devices and technologies – Part 801-2: Smart Body Area Network (SmartBAN) – Low Complexity |
| | Medium Access Control (MAC) for SmartBAN |