Referenčna oznaka	Naslov
prEN ISO/IEC 29151	Information technology - Security techniques - Code of practice for personally identifiable information protection
prEN ISO/IEC 24760-1	IT Security and Privacy - A framework for identity management - Part 1: Terminology and concepts
prEN IEC 60335-1	Household and similar electrical appliances - Safety - Part 1: General requirements
1	Household and similar electrical appliances - Safety - Part 2-53: Particular requirements for sauna heating appliances
EN 60335-2-53:2011/prA2	and infrared cabins
prEN ISO/IEC 24760-3	Information technology - Security techniques - A framework for identity management - Part 3: Practice
•	Information technology - Security techniques - A framework for identity management - Part 2: Reference architecture
prEN ISO/IEC 24760-2	and requirements
	Medical electrical equipment - Part 2-2: Particular requirements for the basic safety and essential performance of high
EN IEC 60601-2-2:2018/prA1	frequency surgical equipment and high frequency surgical accessories
	Optical fibre cables - Part 1-312: Generic specification - Basic optical cable test procedures - Cable element test
prEN IEC 60794-1-312	methods - Elongation test for buffer tubes, Method G11B,
	Power losses in voltage sourced converter (VSC) valves for high-voltage direct current (HVDC) systems - Part 1:
EN 62751-1:2014/prA2	General requirements
prEN IEC 60352-2	Solderless connections - Part 2: Crimped connections - General requirements, test methods and practical guidance
prEN IEC 60404-8-1	Magnetic materials - Part 8-1: Specifications for individual materials - Magnetically hard materials
	Optical fibre cables – Part 2-24: Indoor optical fibre cables – Detailed specification for multiple multi-fibre unit cables for
prEN IEC 60794-2-24	use in MPO connector terminated breakout cable assemblies
	Optical fibre cables – Part 2-23: Indoor optical fibre cables – Detailed specification for multi-fibre cables for use in MPO
prEN IEC 60794-2-23	connector terminated cable assemblies
	Fibre optic active components and devices - Performance standards - Part 4: 1 300 nm fibre optic transceivers for
prEN IEC 62149-4	Gigabit Ethernet application
	Electrical safety in low voltage distribution systems up to 1 000 V a.c. and 1 500 V d.c - Equipment for testing,
	measuring or monitoring of protective measures - Part 16: Equipment for testing the effectiveness of the protective
prEN IEC 61557-16	measures of electrical equipment and/or medical electrical equipment
	Electrical safety in low voltage distribution systems up to 1 000 V a.c. and 1 500 V d.c Equipment for testing,
	measuring or monitoring of protective measures - Part 13: Hand-held and hand-manipulated current clamps and
prEN IEC 61557-13	sensors for measurement of leakage currents in electrical distribution systems
prEN IEC 61400-12-3	Wind energy generation systems - Part 12-3: Power Performance - Measurement Based Site Calibration
prEN IEC 61400-50-2	Wind energy generation systems - Part 50-2: Wind Measurement - Application of Ground Mounted Remote Sensing
	Technology Wind apparent garagetian systems. Part 50.4: Wind Massyroment. Application of Materials Rical Mast. Negative and
PrEN IEC 61400 FO 1	Wind energy generation systems - Part 50-1: Wind Measurement - Application of Meteorological Mast, Nacelle and
prEN IEC 63564.7	Spinner Mounted Instruments Lightning protection system components (LDSC) Port 7/ Populing parts for conthing enhancing compounds
prEN IEC 62561-7	Lightning protection system components (LPSC) - Part 7: Requirements for earthing enhancing compounds
prEN IEC 61400-12-1	Wind energy generation systems - Part 12-1: Power performance measurement of electricity producing wind turbines

	Wind energy generation systems - Part 12: Power performance measurements of electricity producing wind turbines -
prEN IEC 61400-12	Overview
	Wind energy generation systems - Part 12-6: Measurement based nacelle transfer function of electricity producing wind
prEN IEC 61400-12-6	turbines
prEN IEC 61400-12-5	Wind energy generation systems - Part 12-5: Power performance - Assessment of obstacles and terrain
prEN IEC 62275	Cable management systems - Cable ties for electrical installations
	Maritime navigation and radiocommunication equipment and systems – Global navigation satellite systems (GNSS) –
	Part 6: Indian Regional Navigation Satellite System (IRNSS) – Receiver equipment – Performance requirements,
prEN IEC 61108-6	methods of testing and required test results
	Wind energy generation systems - Part 12-2: Power performance of electricity producing wind turbines based on
prEN IEC 61400-12-2	nacelle anemometry
prEN IEC 61400-50	Wind energy generation systems - Part 50: Wind measurements
prEN IEC 60071-2	Insulation co-ordination - Part 2: Application guidelines (Proposed horizontal standard)
	Low-voltage switchgear and controlgear - Part 5-7: Control circuit devices and switching elements - Requirements for
prEN IEC 60947-5-7	proximity devices with analogue output
	Insulators for overhead lines - Composite suspension and tension insulators for a.c. systems with a nominal voltage
prEN IEC 61109	greater than 1 000 V - Definitions, test methods and acceptance criteria
	Composite string insulator units for overhead lines with a nominal voltage greater than 1 000 V - Part 1: Standard
prEN IEC 61466-1	strength and end fittings
	Medical electrical equipment - Part 2-50: Particular requirements for the basic safety and essential performance of
EN IEC 60601-2-50:2021/prA1	infant phototherapy equipment
	Medical electrical equipment - Part 2-21: Particular requirements for the basic safety and essential performance of
EN IEC 60601-2-21:2021/prA1	infant radiant warmers
	Medical electrical equipment - Part 2-19: Particular requirements for the basic safety and essential performance of
EN IEC 60601-2-19:2021/prA1	infant incubators
	Medical electrical equipment - Part 2-35: Particular requirements for the basic safety and essential performance of
EN IEC 60601-2-35:2021/prA1	heating devices using blankets, pads and mattresses and intended for heating in medical use
	Flexible insulating sleeving - Part 3: Specifications for individual types of sleeving - Sheets 116 and 117: Extruded
prEN IEC 60684-3-116	polychloroprene, general purpose
prEN IEC 63215-1	Endurance test methods for die attach materials – Part 1: General specification
prEN IEC 60136	Dimensions, marking and testing of carbon brushes and dimensions of brush-holders for electrical machinery
prEN IEC 63345	Energy Efficiency Systems - Simple External Consumer Display
prEN IEC 63365	Digital Nameplate – Digital Product Marking
prEN IEC 62368-1	Audio/video, information and communication technology equipment - Part 1: Safety requirements
prEN IEC 61290-1	Optical amplifiers - Test methods - Part 1: Power and gain parameters
1	Lamp caps and holders together with gauges for the control of interchangeability and safety - Proposal to add GJ6.6 fit
prEN IEC 60061-PR2021-2	systems to IEC 60061
prEN IEC 63341-2	Railway applications – Rolling stock – Fuel cell systems for propulsion - Part 2: Hydrogen storage system

prEN IEC 63230	Standardized technical specifications governing fatigue of hydraulic turbine runners : from design to quality assurance
prEN IEC 63197	Terms and Definitions for Turbine Governing Systems
	Calculation and Design Guild of Regulation Guarantee for Hydropower Plant Water System and Turbine-Generating
prEN IEC 63111	Unit
	Surge Arresters - Part 11: The standard will be developed in conjunction with WG 3.3.11 of the Surge Protective
	Devices Committee of the IEEE Power and Engineering Society. It is planned to publish the document as a joint logo
prEN IEC 60099-11	IEC/IEEE standard.
prEN IEC 61643-41	Surge protective devices connected to low-voltage DC power systems - Requirements and test methods
	Instruments and software used for measurements in high-voltage and high-current tests - Part 4: Requirements for
prEN IEC 61083-4	software for tests with alternating and direct currents and voltages "Proposed Horizontal Standard"
prEN IEC 60060-2	High-voltage test techniques - Part 2: Measuring systems
prEN IEC 63263	Test procedure for electrical endurance under high frequency voltage impulses
prEN IEC 60730-2-24	Automatic electrical controls-Part 2-24: Particular requirements for displacement sensing controls
prEN IEC 62192	Live working - Insulating ropes
	Live Working – Hand Protective Devices Against The Thermal Hazards Of An Electric ARC – Part 1-1: Test methods –
prEN IEC 63232-1-1	Method 1: Determination of the arc rating (ELIM, ATPV and/or EBT) of hand protective devices using an open arc
	Live Working – Hand Protective Devices Against The Thermal Hazards of an Electric ARC – Part 1-2: Test methods –
	Method 2: Determination of arc protection class hand protective devices by using a constrained and directed arc (box
prEN IEC 63232-1-2	test)
	Fibre optic interconnecting devices and passive components - Fibre optic connector optical interfaces - Part 5: Optical
prEN IEC 61755-5	interfaces for 50.0 um multimode fibre - General and guidance
	Fibre optic interconnecting devices and passive components - Fibre optic connector product specifications - Part 1-2:
prEN IEC 62664-1-2	LC-APC duplex singlmode connectors terminated on IEC 60793-2-50 category B1.1 and B1.3 fibre
	Fibre optic interconnecting devices and passive components - Fibre optic connector product specifications - Part 1-3:
prEN IEC 62664-1-3	LC-PC duplex singlmode connectors terminated on IEC 60793-2-50 category B1.1 and B1.3 fibre
	Electrical energy storage(EES) systems; part4-3: -The protection requirements of BESS according to the
prEN IEC 62933-4-3	environmental conditions and location types
prEN IEC 60413	Test procedures for determining physical properties of brush materials for electrical machines
	High frequency inductive components - Electrical characteristics and measuring methods - Part 2: Rated current of
prEN IEC 62024-2	inductors for DC-to-DC converters
prEN IEC 63399	Household and similar use electrical rice cookers – Methods for measuring the performance
	Fuel cell technologies - Part 6-401: Micro fuel cell power systems - Power, data interchangeability and performance test
prEN IEC 62282-6-401	methods for laptop computers
EN 61975:2010/prA2	High-voltage direct current (HVDC) installations - System tests
~ - EN IEC 04700	Cable assemblies, cables, connectors and passive microwave components - Screening attenuation measurement by
prEN IEC 61726	the reverberation chamber method
~-FN IFC COCO4 2 24	Medical electrical equipment - Part 2-34: Particular requirements for the basic safety and essential performance of
prEN IEC 60601-2-34	invasive blood pressure monitoring equipment

prEN IEC 61869-7 Instrument transformers - Part 7: Specific requirements for electronic Voltage Transformers Medical Electrical Equipment - Functional Performance Characteristics for X-ray-based image-guided radiotherapy equipment equipment of the part	nrEN IEC 60070 45	Evaluative atmospheres - Part 45 - Floatrical Ignition Systems for Internal Combustion Engines
Medical Electrical Equipment - Functional Performance Characteristics for X-ray-based image-guided radiotherapy equipment En IEC 61970-457 Energy management system application program interface (EMS-API) - Part 457: Dynamics profile Medical electrical equipment - Part 2-76: Particular requirements for the basic safety and essential performance of low energy ionized gas haemostasis equipment prEN IEC 62056-6-2 Electricity metering data exchange - The DLMS/COSEM suite - Part 6-2: COSEM interface classes prEN IEC 62056-6-3 Electricity metering data exchange - The DLMS/COSEM suite - Part 6-1: Object Identification System (OBIS) prEN IEC 62056-6-3 Electricity metering data exchange - The DLMS/COSEM suite - Part 5-3: DLMS/COSEM application layer prEN IEC 63119-4 Information exchange for Electric Vehicle charging roaming service Part 4: Cybersecurity and information privacy prEN IEC 63119-3 Information exchange for Electric Vehicle charging roaming service Part 4: Cybersecurity and information privacy prEN IEC 63119-3 Information exchange for Electric Vehicle charging roaming service Part 3: Message structure Protocol for Management of Electric Vehicle charging and discharging infrastructures - Part 3: Requirements for conformance tests Insulating liquids - Determination of the breakdown voltage at power frequency - Test method prEN IEC 63103 Synthetic organic esters for electrical equipment - Supervision and maintenance guidance prEN IEC 63215-4 Endurance test methods for die attach materials applied to power electronic devices - Part 4: Power cycling test method and reliability performance index for Die attach materials (Near Chip Interconnection) applied to module type power electronic devices Medical electrical equipment - Part 2-49: Particular requirements - Part 8-105: Power connectors - Detail specification for 2-pole snap locking rectangular power connectors with plastic housing for rated current of 63 A and rated voltage 400V Connectors for electrical and electronic equipment - Product requirements - Pa	prEN IEC 60079-45	Explosive atmospheres – Part 45 - Electrical Ignition Systems for Internal Combustion Engines
prEN IEC 63321 equipment prEN IEC 61970-457 Energy management system application program interface (EMS-API) - Part 457: Dynamics profile Medical electrical equipment - Part 2-76: Particular requirements for the basic safety and essential performance of low energy ionized gas haemostasis equipment prEN IEC 62056-6-2 Electricity metering data exchange - The DLMS/COSEM suite - Part 6-2: COSEM interface classes prEN IEC 62056-6-1 Electricity metering data exchange - The DLMS/COSEM suite - Part 6-1: Object Identification System (OBIS) prEN IEC 62056-6-3 Electricity metering data exchange - The DLMS/COSEM suite - Part 5-3: DLMS/COSEM application layer prEN IEC 62056-3 Electricity metering data exchange - The DLMS/COSEM suite - Part 5-3: DLMS/COSEM application layer prEN IEC 62056-3 Electricity metering data exchange - The DLMS/COSEM suite - Part 5-3: DLMS/COSEM application layer prEN IEC 62056-3 Electricity metering data exchange - The DLMS/COSEM suite - Part 5-3: DLMS/COSEM application layer prEN IEC 62056-3 Electricity metering data exchange - The DLMS/COSEM suite - Part 5-3: DLMS/COSEM application layer prEN IEC 62056-3 Electricity metering data exchange - The DLMS/COSEM suite - Part 5-1: DLMS/COSEM application layer prEN IEC 62056-3 Electricity metering data exchange - The DLMS/COSEM suite - Part 5-1: Depart of the part of the pa	pren IEC 61869-7	
PEN IEC 61970-457 Energy management system application program interface (EMS-API) - Part 457: Dynamics profile Medical electrical equipment - Part 2-76: Particular requirements for the basic safety and essential performance of low energy ionized gas haemostasis equipment prEN IEC 62056-6-2 pEN IEC 62056-6-1 Electricity metering data exchange - The DLMS/COSEM suite - Part 6-2: COSEM interface classes Electricity metering data exchange - The DLMS/COSEM suite - Part 6-1: Object Identification System (OBIS) prEN IEC 62056-5-3 Electricity metering data exchange - The DLMS/COSEM suite - Part 5-3: DLMS/COSEM application layer prEN IEC 63110-1 Static transfer systems (STS) - Part 1: General and safety requirements prEN IEC 63119-4 Information exchange for Electric Vehicle charging roaming service (Part 2) prEN IEC 63119-3 Information exchange for Electric Vehicle charging roaming service (Part 3) prEN IEC 63110-3 Information exchange for Electric Vehicle charging and discharging infrastructures - Part 3: Requirements for conformance tests prEN IEC 60156 Insulating liquids - Determination of the breakdown voltage at power frequency - Test method prEN IEC 60422 Mineral insulating oils in electrical equipment - Supervision and maintenance guidance prEN IEC 60422 Mineral insulating oils in electrical equipment - Supervision and maintenance of transformer esters in equipment Endurance test methods for die attach materials applied to power electronic devices - Part 4: Power cycling test method and reliability performance index for Die attach materials (Part Chile Prower cycling test method and reliability performance index for Die attach materials for devices intended for use during patient transport EN IEC 80601-2-49:2019/prA1 prEN IEC 81076-8-105 Electricity metering data exchange - The DLMS/COSEM suite - Part 8-108: Power connectors - Detail specification for 2-pole snap locking rectangular power connectors with plastic housing for rated current of 63 A and rated voltage 400V Connectors for ele		
Medical electrical equipment - Part 2-76: Particular requirements for the basic safety and essential performance of low energy ionized gas haemostasis equipment prEN IEC 62056-6-2 Electricity metering data exchange - The DLMS/COSEM suite - Part 6-1: Object Identification System (OBIS) prEN IEC 62056-6-1 Electricity metering data exchange - The DLMS/COSEM suite - Part 6-1: Object Identification System (OBIS) prEN IEC 62310-1 Static transfer systems (STS) - Part 1: General and safety requirements prEN IEC 63310-4 Information exchange for Electric Vehicle charging roaming service Part 3: Message structure prEN IEC 63119-3 Information exchange for Electric Vehicle charging roaming service Part 3: Message structure prEN IEC 63110-3 prEN IEC 63110-3 Information exchange for Electric Vehicle charging roaming service Part 3: Message structure prEN IEC 63110-3 prEN IEC 61203 Insulating liquids - Determination of the breakdown voltage at power frequency - Test method prEN IEC 61203 Mineral insulating iolis in electrical equipment - Supervision and maintenance guidance prEN IEC 61203 Synthetic organic esters for die attach materials applied to power electronic devices - Part 4: Power cycling test method and reliability performance index for Die attach materials (Near Chip Interconnection) applied to module type power electronic devices PrEN IEC 80601-2-49:2019/prA1 prEN IEC 81060-4 Non-invasive sphygmomanometers - Part 4: Requirements for the basic safety and essential performance of multifunction patient monitors prEN IEC 61076-8-105 prEN IEC 61076-8-109 prEN IEC 61076-8-108 PrEN IEC		
EN IEC 6061-2-76:2019/prA1 prEN IEC 62056-6-2 prEN IEC 62056-6-2 prEN IEC 62056-6-1 Electricity metering data exchange - The DLMS/COSEM suite - Part 6-2: COSEM interface classes prEN IEC 62056-5-3 prEN IEC 62056-5-3 prEN IEC 62056-5-3 Electricity metering data exchange - The DLMS/COSEM suite - Part 5-3: DLMS/COSEM application layer prEN IEC 62310-1 Static transfer systems (STS) - Part 1: General and safety requirements prEN IEC 63119-4 Information exchange for Electric Vehicle charging roaming service Part 4: Cybersecurity and information privacy prEN IEC 63119-3 Information exchange for Electric Vehicle charging roaming service Part 4: Cybersecurity and information privacy prEN IEC 63110-3 prEN IEC 63110-3 prEN IEC 63110-3 prEN IEC 60422 Information exchange for Electric Vehicle charging noaming service Part 3: Message structure Protocol for Management of Electric Vehicles charging and discharging infrastructures - Part 3: Requirements for conformance tests Insulating liquids - Determination of the breakdown voltage at power frequency - Test method Insulating liquids - Determination of the breakdown voltage at power frequency - Test method Insulating liquids - Determination of the breakdown voltage at power frequency - Test method Insulating liquids - Determination of the breakdown voltage at power frequency - Test method prEN IEC 60422 Mineral insulating oils in electrical equipment - Supervision and maintenance of transformer esters in equipment Endurance test methods for die attach materials applied to power electronic devices - Part 4: Power cycling test method and reliability performance index for Die attach materials (Near Chip Interconnection) applied to module type power electronic devices - Part 4: Requirements for the basic safety and essential performance of multifunction patient monitors Non-invasive sphygmomanometers - Part 4: Requirements for the basic safety and essential performance of electrical and electronic equipment - Product requirements - Part 8-105: Power con	prEN IEC 61970-457	
prEN IEC 62056-6-2 Electricity metering data exchange - The DLMS/COSEM suite - Part 6-2: COSEM interface classes prEN IEC 62056-6-1 Electricity metering data exchange - The DLMS/COSEM suite - Part 6-1: Object Identification System (OBIS) prEN IEC 62056-5-3 Electricity metering data exchange - The DLMS/COSEM suite - Part 5-3: DLMS/COSEM application layer prEN IEC 62310-1 Static transfer systems (STS) - Part 1: General and safety requirements prEN IEC 63119-4 Information exchange for Electric Vehicle charging roaming service Part 4: Cybersecurity and information privacy prEN IEC 63119-3 Information exchange for Electric Vehicle charging roaming service Part 4: Cybersecurity and information privacy prEN IEC 63110-3 prEN IEC 63110-3 prEN IEC 63110-3 prEN IEC 60156 Insulating liquids - Determination of the breakdown voltage at power frequency - Test method prEN IEC 60158 Insulating liquids - Determination of the breakdown voltage at power frequency - Test method prEN IEC 60422 Mineral insulating oils in electrical equipment - Supervision and maintenance guidance prEN IEC 61203 Synthetic organic esters for electrical purposes - Guide for maintenance of transformer esters in equipment Endurance test methods for die attach materials applied to power electronic devices - Part 4: Power cycling test method and reliability performance index for Die attach materials (Near Chip Interconnection) applied to module type power electronic devices Medical electrical equipment - Part 2-49: Particular requirements for the basic safety and essential performance of multifunction patient monitors PrEN IEC 81060-4 Non-invasive sphygmomanometers - Part 4: Requirements for devices intended for use during patient transport Connectors for electrical and electronic equipment - Product requirements - Part 8-105: Power connectors - Detail specification for 2-pole snap locking rectangular power connectors with plastic housing for rated current of 63 A and rated voltage 400V Connectors for electrical and electronic equipment - Product requireme		
prEN IEC 62056-6-1 prEN IEC 62056-5-3 prEN IEC 62310-1 prEN IEC 62310-1 prEN IEC 62310-1 prEN IEC 62310-1 Static transfer systems (STS) - Part 1: General and safety requirements prEN IEC 63119-4 prEN IEC 63119-3 Information exchange for Electric Vehicle charging roaming service Part 3: Measage structure Protocol for Management of Electric Vehicle charging roaming service Part 3: Measage structure Protocol for Management of Electric Vehicle charging and discharging infrastructures - Part 3: Requirements for conformance tests prEN IEC 63110-3 prEN IEC 60156 Insulating liquids - Determination of the breakdown voltage at power frequency - Test method prEN IEC 60422 Mineral insulating oils in electrical equipment - Supervision and maintenance guidance prEN IEC 60423 prEN IEC 60423 prEN IEC 60424 prEN IEC 60425 prEN IEC 60426 prEN IEC 60426 prEN IEC 60426 prEN IEC 60427 prEN IEC 60427 preN IEC 60428 prEN IEC 60428 prEN IEC 60429 prEN IEC 60429 prEN IEC 60429 prEN IEC 60429 prEN IEC 60420 prEN IEC 60420 prEN IEC 60420 prEN IEC 60420 prEN IEC 60421 prEN IEC 60421 prEN IEC 60422 preN IEC 60423 prEN IEC 60424 preN IEC 60425 prEN IEC 60426 prEN IEC 60426 prEN IEC 60427 preN IEC 60427 preN IEC 60428 prEN IEC 60429		
prEN IEC 62056-5-3 Electricity metering data exchange - The DLMS/COSEM suite - Part 5-3: DLMS/COSEM application layer prEN IEC 62310-1 Static transfer systems (STS) - Part 1: General and safety requirements Information exchange for Electric Vehicle charging roaming service → Part 4: Cybersecurity and information privacy prEN IEC 63119-3 Information exchange for Electric Vehicle charging roaming service → Part 3: Message structure Protocol for Management of Electric Vehicles charging and discharging infrastructures - Part 3: Requirements for conformance tests prEN IEC 63110-3 prEN IEC 60156 Insulating liquids - Determination of the breakdown voltage at power frequency - Test method prEN IEC 60422 Mineral insulating oils in electrical equipment - Supervision and maintenance guidance prEN IEC 61203 Synthetic organic esters for electrical purposes - Guide for maintenance of transformer esters in equipment Endurance test methods for die attach materials applied to power electronic devices - Part 4: Power cycling test method and reliability performance index for Die attach materials (Near Chip Interconnection) applied to module type power electronic devices Medical electrical equipment - Part 2-49: Particular requirements for the basic safety and essential performance of multifunction patient monitors Medical electrical and electronic equipment - Product requirements - Part 8-105: Power connectors - Detail specification for 2-pole snap locking rectangular power connectors with plastic housing for rated current of 63 A and rated voltage 400V Connectors for electrical and electronic equipment - Product requirements - Part 8-109: Power connectors - Detail specification for 2P 130 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of protection when mated and locked, and IPXXB when unmated Connectors for electrical and electronic equipment - Product requirements - Part 8-107: Power connectors - Detail specification for 2P 250 A, 1 000 V plus 2P 5 A 50 V rectangular housing shiel		
prEN IEC 62310-1 Static transfer systems (STS) - Part 1: General and safety requirements prEN IEC 63119-4 Information exchange for Electric Vehicle charging roaming service → Part 4: Cybersecurity and information privacy prEN IEC 63119-3 Information exchange for Electric Vehicle charging roaming service → Part 3: Message structure Protocol for Management of Electric Vehicles charging and discharging infrastructures - Part 3: Requirements for conformance tests prEN IEC 63110-3 prEN IEC 60156 Insulating liquids - Determination of the breakdown voltage at power frequency - Test method prEN IEC 60422 Mineral insulating oils in electrical equipment - Supervision and maintenance guidance prEN IEC 61203 Synthetic organic esters for electrical purposes - Guide for maintenance of transformer esters in equipment Endurance test methods for die attach materials applied to power electronic devices - Part 4: Power cycling test method and reliability performance index for Die attach materials (Near Chip Interconnection) applied to module type power electronic devices Medical electrical equipment - Part 2-49: Particular requirements for the basic safety and essential performance of multifunction patient monitors PrEN IEC 81060-4 Non-invasive sphygmomanometers - Part 4: Requirements for devices intended for use during patient transport Connectors for electrical and electronic equipment - Product requirements - Part 8-105: Power connectors - Detail specification for 2-P 103 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of prEN IEC 61076-8-108 PrEN IEC 61076-8-108 Connectors for electrical and electronic equipment - Product requirements - Part 8-109: Power connectors - Detail specification for 2P 250 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of protection when mated and locked, and IPXXB when unmated Connectors for electrical and electronic equipment - Product requirements - Part 8-107: Power connectors - Detail specificatio		
prEN IEC 63119-4 Information exchange for Electric Vehicle charging roaming service Part 4: Cybersecurity and information privacy prEN IEC 63119-3 Information exchange for Electric Vehicle charging roaming service Part 3: Message structure Protocol for Management of Electric Vehicles charging and discharging infrastructures - Part 3: Requirements for conformance tests prEN IEC 60156 Insulating liquids - Determination of the breakdown voltage at power frequency - Test method prEN IEC 60422 Mineral insulating oils in electrical equipment - Supervision and maintenance guidance prEN IEC 61203 Synthetic organic esters for electrical purposes - Guide for maintenance of transformer esters in equipment Endurance test methods for die attach materials applied to power electronic devices - Part 4: Power cycling test method and reliability performance index for Die attach materials (Near Chip Interconnection) applied to module type power electronic devices EN IEC 63215-4 Medical electrical equipment - Part 2-49: Particular requirements for the basic safety and essential performance of multifunction patient monitors EN IEC 81060-2-49:2019/prA1 multifunction patient monitors PrEN IEC 81060-4 Non-invasive sphygmomanometers - Part 4: Requirements for devices intended for use during patient transport Connectors for electrical and electronic equipment - Product requirements - Part 8-105: Power connectors - Detail specification for 2-pole snap locking rectangular power connectors with plastic housing for rated current of 63 A and rated voltage 400V Connectors for electrical and electronic equipment - Product requirements - Part 8-109: Power connectors - Detail specification for 2P 130 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of protection when mated and locked, and IPXXB when unmated Connectors for electrical and electronic equipment - Product requirements - Part 8-108: Power connectors - Detail specification for 2P 250 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded	prEN IEC 62056-5-3	Electrcity metering data exchange - The DLMS/COSEM suite - Part 5-3: DLMS/COSEM application layer
prEN IEC 63119-3 Information exchange for Electric Vehicle charging roaming service Part 3: Message structure Protocol for Management of Electric Vehicles charging and discharging infrastructures - Part 3: Requirements for conformance tests prEN IEC 60156 Insulating liquids - Determination of the breakdown voltage at power frequency - Test method prEN IEC 60422 Mineral insulating oils in electrical equipment - Supervision and maintenance guidance prEN IEC 61203 Synthetic organic esters for electrical equipment - Supervision and maintenance guidance prEN IEC 61203 Synthetic organic esters for electrical equipment - Supervision and maintenance guidance Endurance test methods for die attach materials applied to power electronic devices - Part 4: Power cycling test method and reliability performance index for Die attach materials (Near Chip Interconnection) applied to module type power electronic devices Medical electrical equipment - Part 2-49: Particular requirements for the basic safety and essential performance of multifunction patient monitors Non-invasive sphygmomanometers - Part 4: Requirements for devices intended for use during patient transport Connectors for electrical and electronic equipment - Product requirements - Part 8-105: Power connectors - Detail specification for 2-pole snap locking rectangular power connectors with plastic housing for rated current of 63 A and rated voltage 400V Connectors for electrical and electronic equipment - Product requirements - Part 8-109: Power connectors - Detail specification for 2P 130 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of protection when mated and locked, and IPXXB when unmated Connectors for electrical and electronic equipment - Product requirements - Part 8-108: Power connectors - Detail specification for 2P 25 A 5 0 V Poles 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of protection when mated and locked, and IPXXB when unmated Connectors for electrical and elec	prEN IEC 62310-1	Static transfer systems (STS) - Part 1: General and safety requirements
Protocol for Management of Electric Vehicles charging and discharging infrastructures - Part 3: Requirements for conformance tests prEN IEC 60156 Insulating liquids - Determination of the breakdown voltage at power frequency - Test method prEN IEC 60422 Mineral insulating oils in electrical equipment - Supervision and maintenance guidance prEN IEC 61203 Synthetic organic esters for electrical purposes - Guide for maintenance of transformer esters in equipment Endurance test methods for die attach materials applied to power electronic devices - Part 4: Power cycling test method and reliability performance index for Die attach materials (Near Chip Interconnection) applied to module type power electronic devices Medical electrical equipment - Part 2-49: Particular requirements for the basic safety and essential performance of multifunction patient monitors prEN IEC 81060-4 Non-invasive sphygmomanometers - Part 4: Requirements for devices intended for use during patient transport Connectors for electrical and electronic equipment - Product requirements - Part 8-105: Power connectors - Detail specification for 2-pole snap locking rectangular power connectors with plastic housing for rated current of 63 A and rated voltage 400V Connectors for electrical and electronic equipment - Product requirements - Part 8-109: Power connectors - Detail specification for 2P 130 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of protection when mated and locked, and IPXXB when unmated Connectors for electrical and electronic equipment - Product requirements - Part 8-108: Power connectors - Detail specification for 2P 250 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of protection when mated and locked, and IPXXB when unmated Connectors for electrical and electronic equipment - Product requirements - Part 8-107: Power connectors - Detail specification for 2P 200 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68	prEN IEC 63119-4	Information exchange for Electric Vehicle charging roaming service Part 4: Cybersecurity and information privacy
prEN IEC 63110-3 prEN IEC 60156 Insulating liquids - Determination of the breakdown voltage at power frequency - Test method prEN IEC 60422 prEN IEC 60422 Mineral insulating oils in electrical equipment - Supervision and maintenance guidance prEN IEC 61203 Synthetic organic esters for electrical purposes - Guide for maintenance of transformer esters in equipment Endurance test methods for die attach materials applied to power electronic devices - Part 4: Power cycling test method and reliability performance index for Die attach materials (Near Chip Interconnection) applied to module type power electrical equipment - Part 2-49: Particular requirements for the basic safety and essential performance of multifunction patient monitors prEN IEC 80601-2-49:2019/prA1 prEN IEC 81060-4 Non-invasive sphygmomanometers - Part 4: Requirements for devices intended for use during patient transport Connectors for electrical and electronic equipment - Product requirements - Part 8-105: Power connectors - Detail specification for 2-pole snap locking rectangular power connectors with plastic housing for rated current of 63 A and rated voltage 400V Connectors for electrical and electronic equipment - Product requirements - Part 8-109: Power connectors - Detail specification for 2P 130 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of protection when mated and locked, and IPXXB when unmated Connectors for electrical and electronic equipment - Product requirements - Part 8-108: Power connectors - Detail specification for 2P 250 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of protection when mated and locked, and IPXXB when unmated Connectors for electrical and electronic equipment - Product requirements - Part 8-107: Power connectors - Detail specification for 2P 250 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of protection when mated and locked, and IPXXB when unmated	prEN IEC 63119-3	Information exchange for Electric Vehicle charging roaming service Part 3: Message structure
prEN IEC 63110-3 prEN IEC 60156 Insulating liquids - Determination of the breakdown voltage at power frequency - Test method prEN IEC 60422 prEN IEC 60422 Mineral insulating oils in electrical equipment - Supervision and maintenance guidance prEN IEC 61203 Synthetic organic esters for electrical purposes - Guide for maintenance of transformer esters in equipment Endurance test methods for die attach materials applied to power electronic devices - Part 4: Power cycling test method and reliability performance index for Die attach materials (Near Chip Interconnection) applied to module type power electrical equipment - Part 2-49: Particular requirements for the basic safety and essential performance of multifunction patient monitors prEN IEC 80601-2-49:2019/prA1 prEN IEC 81060-4 Non-invasive sphygmomanometers - Part 4: Requirements for devices intended for use during patient transport Connectors for electrical and electronic equipment - Product requirements - Part 8-105: Power connectors - Detail specification for 2-pole snap locking rectangular power connectors with plastic housing for rated current of 63 A and rated voltage 400V Connectors for electrical and electronic equipment - Product requirements - Part 8-109: Power connectors - Detail specification for 2P 130 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of protection when mated and locked, and IPXXB when unmated Connectors for electrical and electronic equipment - Product requirements - Part 8-108: Power connectors - Detail specification for 2P 250 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of protection when mated and locked, and IPXXB when unmated Connectors for electrical and electronic equipment - Product requirements - Part 8-107: Power connectors - Detail specification for 2P 250 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of protection when mated and locked, and IPXXB when unmated		Protocol for Management of Electric Vehicles charging and discharging infrastructures - Part 3: Requirements for
prEN IEC 60422 Mineral insulating oils in electrical equipment - Supervision and maintenance guidance prEN IEC 61203 Synthetic organic esters for electrical purposes - Guide for maintenance of transformer esters in equipment Endurance test methods for die attach materials applied to power electronic devices - Part 4: Power cycling test method and reliability performance index for Die attach materials (Near Chip Interconnection) applied to module type power electronic devices Medical electrical equipment - Part 2-49: Particular requirements for the basic safety and essential performance of multifunction patient monitors PrEN IEC 81060-4 Non-invasive sphygmomanometers - Part 4: Requirements for devices intended for use during patient transport Connectors for electrical and electronic equipment - Product requirements - Part 8-105: Power connectors - Detail specification for 2-pole snap locking rectangular power connectors with plastic housing for rated current of 63 A and prEN IEC 61076-8-105 Connectors for electrical and electronic equipment - Product requirements - Part 8-109: Power connectors - Detail specification for 2P 130 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of protection when mated and locked, and IPXXB when unmated Connectors for electrical and electronic equipment - Product requirements - Part 8-108: Power connectors - Detail specification for 2P 250 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of protection when mated and locked, and IPXXB when unmated Connectors for electrical and electronic equipment - Product requirements - Part 8-107: Power connectors - Detail specification for 2P 200 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of protection when mated and locked, and IPXXB when unmated	prEN IEC 63110-3	
prEN IEC 60422 Mineral insulating oils in electrical equipment - Supervision and maintenance guidance prEN IEC 61203 Synthetic organic esters for electrical purposes - Guide for maintenance of transformer esters in equipment Endurance test methods for die attach materials applied to power electronic devices - Part 4: Power cycling test method and reliability performance index for Die attach materials (Near Chip Interconnection) applied to module type power electronic devices Medical electrical equipment - Part 2-49: Particular requirements for the basic safety and essential performance of multifunction patient monitors PrEN IEC 81060-4 Non-invasive sphygmomanometers - Part 4: Requirements for devices intended for use during patient transport Connectors for electrical and electronic equipment - Product requirements - Part 8-105: Power connectors - Detail specification for 2-pole snap locking rectangular power connectors with plastic housing for rated current of 63 A and rated voltage 400V Connectors for electrical and electronic equipment - Product requirements - Part 8-109: Power connectors - Detail specification for 2P 130 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of protection when mated and locked, and IPXXB when unmated Connectors for electrical and electronic equipment - Product requirements - Part 8-108: Power connectors - Detail specification for 2P 250 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of protection when mated and locked, and IPXXB when unmated Connectors for electrical and electronic equipment - Product requirements - Part 8-107: Power connectors - Detail specification for 2P 200 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of protection when mated and locked, and IPXXB when unmated	prEN IEC 60156	Insulating liquids - Determination of the breakdown voltage at power frequency - Test method
Synthetic organic esters for electrical purposes - Guide for maintenance of transformer esters in equipment Endurance test methods for die attach materials applied to power electronic devices – Part 4: Power cycling test method and reliability performance index for Die attach materials (Near Chip Interconnection) applied to module type power electronic devices Medical electrical equipment - Part 2-49: Particular requirements for the basic safety and essential performance of multifunction patient monitors PEN IEC 81060-4 Non-invasive sphygmomanometers - Part 4: Requirements for devices intended for use during patient transport Connectors for electrical and electronic equipment – Product requirements - Part 8-105: Power connectors – Detail specification for 2-pole snap locking rectangular power connectors with plastic housing for rated current of 63 A and rated voltage 400V Connectors for electrical and electronic equipment – Product requirements - Part 8-109: Power connectors – Detail specification for 2P 130 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of protection when mated and locked, and IPXXB when unmated Connectors for electrical and electronic equipment – Product requirements – Part 8-108: Power connectors – Detail specification for 2P 250 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of protection when mated and locked, and IPXXB when unmated Connectors for electrical and electronic equipment – Product requirements - Part 8-107: Power connectors – Detail specification for 2P 200 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of protection when mated and locked, and IPXXB when unmated	prEN IEC 60422	Mineral insulating oils in electrical equipment - Supervision and maintenance guidance
method and reliability performance index for Die attach materials (Near Chip Interconnection) applied to module type power electronic devices Medical electrical equipment - Part 2-49: Particular requirements for the basic safety and essential performance of multifunction patient monitors prEN IEC 81060-4 Non-invasive sphygmomanometers - Part 4: Requirements for devices intended for use during patient transport Connectors for electrical and electronic equipment - Product requirements - Part 8-105: Power connectors - Detail specification for 2-pole snap locking rectangular power connectors with plastic housing for rated current of 63 A and rated voltage 400V Connectors for electrical and electronic equipment - Product requirements - Part 8-109: Power connectors - Detail specification for 2P 130 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of protection when mated and locked, and IPXXB when unmated Connectors for electrical and electronic equipment - Product requirements - Part 8-108: Power connectors - Detail specification for 2P 250 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of protection when mated and locked, and IPXXB when unmated Connectors for electrical and electronic equipment - Product requirements - Part 8-107: Power connectors - Detail specification for 2P 200 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of protection when mated and locked, and IPXXB when unmated Connectors for electrical and electronic equipment - Product requirements - Part 8-107: Power connectors - Detail specification for 2P 200 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of protection when mated and locked, and IPXXB when unmated	prEN IEC 61203	
method and reliability performance index for Die attach materials (Near Chip Interconnection) applied to module type power electronic devices Medical electrical equipment - Part 2-49: Particular requirements for the basic safety and essential performance of multifunction patient monitors prEN IEC 81060-4 Non-invasive sphygmomanometers - Part 4: Requirements for devices intended for use during patient transport Connectors for electrical and electronic equipment - Product requirements - Part 8-105: Power connectors - Detail specification for 2-pole snap locking rectangular power connectors with plastic housing for rated current of 63 A and rated voltage 400V Connectors for electrical and electronic equipment - Product requirements - Part 8-109: Power connectors - Detail specification for 2P 130 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of protection when mated and locked, and IPXXB when unmated Connectors for electrical and electronic equipment - Product requirements - Part 8-108: Power connectors - Detail specification for 2P 250 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of protection when mated and locked, and IPXXB when unmated Connectors for electrical and electronic equipment - Product requirements - Part 8-107: Power connectors - Detail specification for 2P 200 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of protection when mated and locked, and IPXXB when unmated Connectors for electrical and electronic equipment - Product requirements - Part 8-107: Power connectors - Detail specification for 2P 200 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of protection when mated and locked, and IPXXB when unmated	·	Endurance test methods for die attach materials applied to power electronic devices – Part 4: Power cycling test
prent IEC 63215-4 power electronic devices Medical electrical equipment - Part 2-49: Particular requirements for the basic safety and essential performance of multifunction patient monitors prent IEC 81060-4 Non-invasive sphygmomanometers - Part 4: Requirements for devices intended for use during patient transport Connectors for electrical and electronic equipment - Product requirements - Part 8-105: Power connectors - Detail specification for 2-pole snap locking rectangular power connectors with plastic housing for rated current of 63 A and rated voltage 400V Connectors for electrical and electronic equipment - Product requirements - Part 8-109: Power connectors - Detail specification for 2P 130 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of protection when mated and locked, and IPXXB when unmated Connectors for electrical and electronic equipment - Product requirements - Part 8-108: Power connectors - Detail specification for 2P 250 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of protection when mated and locked, and IPXXB when unmated Connectors for electrical and electronic equipment - Product requirements - Part 8-107: Power connectors - Detail specification for 2P 200 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of protection when mated and locked, and IPXXB when unmated Connectors for electrical and electronic equipment - Product requirements - Part 8-107: Power connectors - Detail specification for 2P 200 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of protection when mated and locked, and IPXXB when unmated		
EN IEC 80601-2-49:2019/prA1 multifunction patient monitors prEN IEC 81060-4 Non-invasive sphygmomanometers - Part 4: Requirements for devices intended for use during patient transport Connectors for electrical and electronic equipment – Product requirements - Part 8-105: Power connectors – Detail specification for 2-pole snap locking rectangular power connectors with plastic housing for rated current of 63 A and rated voltage 400V Connectors for electrical and electronic equipment – Product requirements - Part 8-109: Power connectors – Detail specification for 2P 130 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of protection when mated and locked, and IPXXB when unmated Connectors for electrical and electronic equipment – Product requirements – Part 8-108: Power connectors – Detail specification for 2P 250 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of protection when mated and locked, and IPXXB when unmated Connectors for electrical and electronic equipment – Product requirements - Part 8-107: Power connectors – Detail specification for 2P 200 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of protection when mated and locked, and IPXXB when unmated	prEN IEC 63215-4	power electronic devices
Pren IEC 81060-4 Non-invasive sphygmomanometers - Part 4: Requirements for devices intended for use during patient transport Connectors for electrical and electronic equipment – Product requirements - Part 8-105: Power connectors – Detail specification for 2-pole snap locking rectangular power connectors with plastic housing for rated current of 63 A and rated voltage 400V Connectors for electrical and electronic equipment – Product requirements - Part 8-109: Power connectors – Detail specification for 2P 130 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of protection when mated and locked, and IPXXB when unmated Connectors for electrical and electronic equipment – Product requirements – Part 8-108: Power connectors – Detail specification for 2P 250 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of protection when mated and locked, and IPXXB when unmated Connectors for electrical and electronic equipment – Product requirements - Part 8-107: Power connectors – Detail specification for 2P 200 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of protection when mated and locked, and IPXXB when unmated		Medical electrical equipment - Part 2-49: Particular requirements for the basic safety and essential performance of
Connectors for electrical and electronic equipment – Product requirements - Part 8-105: Power connectors – Detail specification for 2-pole snap locking rectangular power connectors with plastic housing for rated current of 63 A and rated voltage 400V Connectors for electrical and electronic equipment – Product requirements - Part 8-109: Power connectors – Detail specification for 2P 130 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of protection when mated and locked, and IPXXB when unmated Connectors for electrical and electronic equipment – Product requirements – Part 8-108: Power connectors – Detail specification for 2P 250 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of protection when mated and locked, and IPXXB when unmated Connectors for electrical and electronic equipment – Product requirements - Part 8-107: Power connectors – Detail specification for 2P 200 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of protection when mated and locked, and IPXXB when unmated	EN IEC 80601-2-49:2019/prA1	multifunction patient monitors
specification for 2-pole snap locking rectangular power connectors with plastic housing for rated current of 63 A and rated voltage 400V Connectors for electrical and electronic equipment – Product requirements - Part 8-109: Power connectors – Detail specification for 2P 130 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of protection when mated and locked, and IPXXB when unmated Connectors for electrical and electronic equipment – Product requirements – Part 8-108: Power connectors – Detail specification for 2P 250 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of protection when mated and locked, and IPXXB when unmated Connectors for electrical and electronic equipment – Product requirements - Part 8-107: Power connectors – Detail specification for 2P 200 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of protection when mated and locked, and IPXXB when unmated	prEN IEC 81060-4	Non-invasive sphygmomanometers - Part 4: Requirements for devices intended for use during patient transport
specification for 2-pole snap locking rectangular power connectors with plastic housing for rated current of 63 A and rated voltage 400V Connectors for electrical and electronic equipment – Product requirements - Part 8-109: Power connectors – Detail specification for 2P 130 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of protection when mated and locked, and IPXXB when unmated Connectors for electrical and electronic equipment – Product requirements – Part 8-108: Power connectors – Detail specification for 2P 250 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of protection when mated and locked, and IPXXB when unmated Connectors for electrical and electronic equipment – Product requirements - Part 8-107: Power connectors – Detail specification for 2P 200 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of protection when mated and locked, and IPXXB when unmated		
Connectors for electrical and electronic equipment – Product requirements - Part 8-109: Power connectors – Detail specification for 2P 130 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of protection when mated and locked, and IPXXB when unmated Connectors for electrical and electronic equipment – Product requirements – Part 8-108: Power connectors – Detail specification for 2P 250 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of protection when mated and locked, and IPXXB when unmated Connectors for electrical and electronic equipment – Product requirements - Part 8-107: Power connectors – Detail specification for 2P 200 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of protection when mated and locked, and IPXXB when unmated		specification for 2-pole snap locking rectangular power connectors with plastic housing for rated current of 63 A and
specification for 2P 130 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of protection when mated and locked, and IPXXB when unmated Connectors for electrical and electronic equipment – Product requirements – Part 8-108: Power connectors – Detail specification for 2P 250 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of protection when mated and locked, and IPXXB when unmated Connectors for electrical and electronic equipment – Product requirements - Part 8-107: Power connectors – Detail specification for 2P 200 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of protection when mated and locked, and IPXXB when unmated	prEN IEC 61076-8-105	rated voltage 400V
protection when mated and locked, and IPXXB when unmated Connectors for electrical and electronic equipment – Product requirements – Part 8-108: Power connectors – Detail specification for 2P 250 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of protection when mated and locked, and IPXXB when unmated Connectors for electrical and electronic equipment – Product requirements - Part 8-107: Power connectors – Detail specification for 2P 200 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of protection when mated and locked, and IPXXB when unmated		Connectors for electrical and electronic equipment – Product requirements - Part 8-109: Power connectors – Detail
Connectors for electrical and electronic equipment – Product requirements – Part 8-108: Power connectors – Detail specification for 2P 250 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of protection when mated and locked, and IPXXB when unmated Connectors for electrical and electronic equipment – Product requirements - Part 8-107: Power connectors – Detail specification for 2P 200 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of protection when mated and locked, and IPXXB when unmated		specification for 2P 130 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of
specification for 2P 250 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of protection when mated and locked, and IPXXB when unmated Connectors for electrical and electronic equipment – Product requirements - Part 8-107: Power connectors – Detail specification for 2P 200 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of protection when mated and locked, and IPXXB when unmated	prEN IEC 61076-8-109	protection when mated and locked, and IPXXB when unmated
prentection when mated and locked, and IPXXB when unmated Connectors for electrical and electronic equipment – Product requirements - Part 8-107: Power connectors – Detail specification for 2P 200 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of prentection when mated and locked, and IPXXB when unmated		Connectors for electrical and electronic equipment – Product requirements – Part 8-108: Power connectors – Detail
prentection when mated and locked, and IPXXB when unmated Connectors for electrical and electronic equipment – Product requirements - Part 8-107: Power connectors – Detail specification for 2P 200 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of prentection when mated and locked, and IPXXB when unmated		
specification for 2P 200 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of prEN IEC 61076-8-107 protection when mated and locked, and IPXXB when unmated	prEN IEC 61076-8-108	
specification for 2P 200 A, 1 000 V plus 2P 5 A 50 V rectangular housing shielded connectors with IP65/IP68 degree of prEN IEC 61076-8-107 protection when mated and locked, and IPXXB when unmated		Connectors for electrical and electronic equipment – Product requirements - Part 8-107: Power connectors – Detail
prEN IEC 61076-8-107 protection when mated and locked, and IPXXB when unmated		
	prEN IEC 61076-8-107	
PIEN IEC 02049 Performance evaluation methods of fodots for nousehold and similar use	prEN IEC 62849	Performance evaluation methods of robots for household and similar use

	Household and similar electrical air cleaning appliances - Methods for measuring the performance - Part 2-1: Particular
prEN IEC 63086-2-1	requirements for determination of reduction of particles
	Hybrid CPV/PV modules: General characteristics and measurement procedures - Part 1: Performance measurements
prEN IEC 63387-1	and power rating - Irradiance and temperature
	Fuel cell technologies - Part 4-102: Fuel cell power systems for propulsion other than road vehicles and auxiliary power
prEN IEC 62282-4-102	units (APU) - Fuel cell power systems for electrically powered industrial trucks - Performance test methods
	Low-voltage switchgear and controlgear assemblies - Part 4: Particular requirements for assemblies for construction
prEN IEC 61439-4	sites (ACS)
prEN IEC 61439-5	Low-voltage switchgear and controlgear assemblies - Part 5: Assemblies for power distribution in public networks
	Medical electrical equipment - Part 2-78: Particular requirements for basic safety and essential performance of medical
EN IEC 80601-2-78:2020/prA1	robots for rehabilitation, assessment, compensation or alleviation
EN IEC 60810:2018/prA2	Lamps, light sources and LED packages for road vehicles - Performance requirements
prEN 16603-20 rev	Space engineering - Electrical and electronic
	Electrical apparatus and sensors for the detection of combustible gases in domestic, household and non classified
prEN 50194-1	premises - Part 1: Test methods and performance requirements
prEN 50172	Emergency escape lighting systems
EN 62606:2013/prAB	General requirements for arc fault detection devices
prCEN/TR 17603-20-03	Space engineering - Magnetic cleanliness handbook
prCEN/TS XXX	Protection Profile for Smart Meter - Minimum Security requirements
prEN IEC 60335-1/prAA	Household and similar electrical appliances - Safety - Part 1: General requirements
prEN 16602-60-13 rev	Space product assurance - Commercial electrical, electronic and electromechanical (EEE) components
prEN 50289-1-2	Communication cables - Specifications for test methods - Part 1-2: Electrical test methods - DC resistance
prEN IEC 61543/prAA	Residual current-operated protective devices (RCDs) for household and similar use - Electromagnetic compatibility
•	Specification for portable electrical apparatus designed to measure combustion flue gas parameters of heating
prEN 50379	appliances
EN IEC 62031:2020/prA11	LED modules for general lighting - Safety specifications
•	Electrical apparatus for the detection of carbon monoxide in domestic premises, caravans and boats - Guide on the
prEN 50292	selection, installation, use and maintenance
•	
prEN 16602-70-40	Space product assurance - Processing and quality assurance requirements for brazing of flight hardware
prEN 16602-70-40 prEN 16602-60 rev	Space product assurance - Processing and quality assurance requirements for brazing of flight hardware Space product assurance - Electrical, electronic and electromechanical (EEE) components