

Nove pobude za delo v CENELEC – FEBRUAR 2022

| Referenčna oznaka | Naslov | Tehnični odbor |
|---------------------------------|---|----------------|
| EN 60038:2011/prA2 (Fragment 2) | Standard voltages for HVDC supply and HVDC equipment (Proposed horizontal standard) | CLC/TC 8X |
| prEN 50436-7 | Alcohol interlocks - Test methods and performance requirements - Part 7: Installation document | CLC/BTF 116-2 |
| CLC/prTS 50491-7 | Home and Building Electronic Systems - IT security and data protection - User Guide | CLC/TC 205 |
| EN 50518:2019/prA1 | Monitoring and Alarm Receiving Centre | CLC/TC 79 |
| prEN 50561-1 | Powerline communication apparatus used in low voltage installations - Radio disturbance characteristics - Limits and methods of measurement - Part 1: Apparatus for in-home use | CLC/TC 210 |
| prEN 50561-3 | Powerline communication apparatus used in low voltage installations - Radio disturbance characteristics - Limits and methods of measurement – Part 3: Apparatus operating above 30 MHz | CLC/TC 210 |
| prEN 50561-4 | Powerline communication apparatus used in low voltage installations - Radio disturbance characteristics - Limits and methods of measurement - Part 4: Apparatus including MIMO capability | CLC/TC 210 |
| prEN 50561-5 | Radio disturbance characteristics - Limits and methods of measurement Part 5: PLC in outdoor Photovoltaic (PV) sites (EN 50561) | CLC/TC 210 |
| prEN 50730 | Professional and commercial coffee machines - Methods for measuring energy consumption and productivity | CLC/TC 59X |
| EN 55011:2016/prAB | Industrial, scientific and medical equipment - Radio-frequency disturbance characteristics - limits and methods of measurement | CLC/TC 210 |
| prEN IEC 60068-2-86 | ENVIRONMENTAL TESTING - Part 2-86: Tests-Test Fx: Multi-Exciter and Multi-Axis Shock and Vibration Testing and Guidance | CLC/SR 104 |
| prEN IEC 60317-89 | Specifications for particular types of winding wires - Part 89: Polyesterimide enameled round aluminum wire, class 200 | CLC/TC 55 |
| prHD 60364-7-751 | Low-voltage electrical installations – Part 7-751: Requirements for special installations or locations – Low voltage generating sets | CLC/TC 64 |
| prEN IEC 60371-3-7 | Insulating materials based on mica - Part 3: Specifications for individual materials - Sheet 7: Polyester film mica paper with an epoxy resin binder for single conductor taping | CLC/SR 15 |
| prEN IEC 60384-8 | Fixed capacitors for use in electronic equipment - Part 8: Sectional specification: Fixed capacitors of ceramic dielectric, Class 1 | CLC/TC 40XA |
| prEN IEC 60384-9 | Fixed capacitors for use in electronic equipment - Part 9: Sectional specification: Fixed capacitors of ceramic dielectric, Class 2 | CLC/TC 40XA |

| | | |
|------------------------|--|-------------|
| prEN IEC 60598-1/prAA | Luminaires - Part 1: General requirements and tests | CLC/TC 34 |
| prEN IEC 60601-2-57 | Medical electrical equipment - Part 2-57: Particular requirements for the basic safety and essential performance of non-laser light source equipment intended for therapeutic, diagnostic, monitoring and cosmetic/aesthetic use | CLC/TC 76 |
| prEN IEC 60601-2-91 | Particular requirement for basic safety and essential performance of non-thermal plasma wound treatment equipment | CLC/TC 62 |
| prEN IEC 60669-2-2 | Switches for household and similar fixed electrical installations - Part 2-2: Particular requirements - Electromagnetic remote-control switches (RCS) | CLC/TC 23BX |
| prEN IEC 60669-2-3 | Switches for household and similar fixed electrical installations - Part 2-3: Particular requirements - Time-delay switches (TDS) | CLC/TC 23BX |
| prEN IEC 60674-3-3 | Specification for plastic films for electrical purposes - Part 3: Specifications for individual materials - Sheet 3: Requirements for polycarbonate (PC) films used for electrical insulation | CLC/SR 15 |
| prEN IEC 60674-3-7 | Plastic films for electrical purposes - Part 3: Specifications for individual materials - Sheet 7: Fluoroethylene-propylene (FEP) films used for electrical insulation | CLC/SR 15 |
| prEN IEC 60704-2-13 | Household and similar electrical appliances - Test code for the determination of airborne acoustical noise - Part 2-13: Particular requirements for cooking fume extractors | CLC/TC 59X |
| prEN IEC 60747-15 | Semiconductor devices - Discrete devices - Part 15: Isolated power semiconductor devices | CLC/SR 47E |
| prEN IEC 60947-4-1 | Low-voltage switchgear and controlgear - Part 4-1: Contactors and motor-starters - Electromechanical contactors and motor-starters | CLC/TC 121A |
| EN 61000-3-3:2013/prAA | Electromagnetic compatibility (EMC) - Part 3: Limits - Section 3: Limitation of voltage fluctuations and flicker in low-voltage supply systems for equipment with rated current ≤ 16 A | CLC/SC 210A |
| EN 61000-3-3:2013/prAA | Electromagnetic compatibility (EMC) - Part 3: Limits - Section 3: Limitation of voltage fluctuations and flicker in low-voltage supply systems for equipment with rated current ≤ 16 A | CLC/TC 210 |
| prEN IEC 61158-3-28 | Industrial communication networks - Fieldbus specifications - Part 3-28: Data-link layer service definition - Type 28 elements | CLC/TC 65X |
| prEN IEC 61158-4-28 | Industrial communication networks - Fieldbus specifications - Part 4-28: Data-link layer protocol specification - Type 28 elements | CLC/TC 65X |
| prEN IEC 61158-5-27 | Industrial communication networks - Fieldbus specifications - Part 5-27: Application layer service definition - Type 27 elements | CLC/TC 65X |
| prEN IEC 61158-5-28 | Industrial communication networks - Fieldbus specifications - Part 5-28: Application layer service definition - Type 28 elements | CLC/TC 65X |
| prEN IEC 61158-6-27 | Industrial communication networks - Fieldbus specifications - Part 6-27: Application layer protocol specification - Type 27 elements | CLC/TC 65X |

| | | |
|--------------------------|--|----------------|
| prEN IEC 61158-6-28 | Industrial communication networks - Fieldbus specifications - Part 6-28: Application layer protocol specification - Type 28 elements | CLC/TC 65X |
| prEN IEC 61280-1-4 | Fibre optic communication subsystem test procedures - Part 1-4: General communication subsystems - Light source encircled flux measurement method | CLC/SR 86C |
| prEN IEC 61300-2-27 | Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 2-27: Tests - Dust - Laminar flow | CLC/TC 86BXA |
| prEN IEC 61300-2-44 | Fibre optic interconnecting devices and passive components - Basic test and measurement procedures - Part 2-44: Tests - Flexing of the strain relief of fibre optic devices and components | CLC/TC 86BXA |
| prEN IEC 61360-1 | Standard data element types with associated classification scheme - Part 1: Definitions - Principles and methods | CLC/SR 3D |
| prEN IEC 61360-6 | Standard data element types with associated classification scheme for electric components - Part 6: CDD modelling guideline for the use of concepts | CLC/SR 3D |
| EN IEC 61439-1:2021/prAA | Low-voltage switchgear and controlgear assemblies - Part 1: General rules | CLC/BTTF 170-1 |
| EN IEC 61439-2:2021/prAA | Low-voltage switchgear and controlgear assemblies - Part 2: Power switchgear and controlgear assemblies | CLC/BTTF 170-1 |
| prEN IEC 61558-2-3 | Safety of transformers, reactors, power supply units and combinations thereof - Part 2-3: Particular requirements and tests for ignition transformers for gas and oil burners | CLC/SR 96 |
| prEN IEC 61558-2-7 | Safety of transformers, reactors, power supply units and combinations thereof - Part 2-7: Particular requirements and tests for transformers and power supply units for toys | CLC/SR 96 |
| prEN IEC 61754-13 | Fibre optic connector interfaces - Part 13: Type FC-PC connector | CLC/TC 86BXA |
| prEN IEC 61784-5-X | Industrial communication networks - Profiles - Part 5-x: Installation of fieldbuses - Installation profiles for CPF x (x=2, 3, 6, 12, 21) | CLC/TC 65X |
| EN 61786-1:2014/prA1 | Measurement of DC magnetic, AC magnetic and AC electric fields from 1 Hz to 100 kHz with regard to exposure of human beings - Part 1: Requirements for measuring instruments | CLC/TC 106X |
| prEN IEC 61788-27 | Twist pitch measurement of practical superconducting wires - Twist pitch measurement method of NbTi and Nb ₃ Sn composite superconductors | CLC/SR 90 |
| prEN IEC 61810-7-3 | All-or-nothing electrical relays - Tests and Measurements - Part 7-3: Relay coil properties | CLC/SR 94 |
| prEN IEC 61810-7-6 | All-or-nothing electrical relays - Tests and Measurements - Part 7-6: Contact-circuit resistance (or voltage drop) | CLC/SR 94 |
| prEN IEC 61810-7-37 | All-or-nothing electrical relays - Tests and Measurements - Part 7-37: Temperature rise at rated load | CLC/SR 94 |
| prEN IEC 61847 | Ultrasonics - Surgical systems - Measurement and declaration of the basic output characteristics | CLC/SR 87 |

| | | |
|------------------------|---|--------------|
| EN 61850-7-3:2011/prA2 | Communication networks and systems for power utility automation - Part 7-3: Basic communication structure - Common data classes | CLC/TC 57 |
| prEN IEC 61851-1 | Electric vehicle conductive charging system - Part 1: General requirements | CLC/TC 69X |
| prEN IEC 61995-1 | Devices for the connection of luminaires for household and similar purposes - Part 1: General requirements | CLC/TC 23BX |
| prEN IEC 61995-2 | Devices for the connection of luminaires for household and similar purposes - Part 2: Standard sheets for DCL | CLC/TC 23BX |
| prEN IEC 62024-1 | High frequency inductive components - Electrical characteristics and measuring methods - Part 1: Nanohenry range chip inductor | CLC/SR 51 |
| prEN IEC 62264-7 | Enterprise-control system integration - Part 7 Alias Service Model | CLC/TC 65X |
| prEN IEC 62271-208 | High-voltage switchgear and controlgear - Part 208: Methods to quantify the steady state, power-frequency electromagnetic fields generated by HV switchgear assemblies and HV/LV prefabricated substations | CLC/TC 17AC |
| prEN IEC 62271-211 | High-voltage switchgear and controlgear - Part 211: Direct connection between power transformers and gas-insulated metal-enclosed switchgear for rated voltages above 52 kV | CLC/TC 17AC |
| prEN IEC 62282-3-202 | Fuel cell technologies - Part 3-202: Stationary fuel cell power systems - Performance test methods for small fuel cell power systems that can be complemented with a supplementary heat generator for multiple units operation by an energy management system | CLC/SR 105 |
| prEN IEC 62381 | Automation systems in the process industry - Factory acceptance test (FAT), site acceptance test (SAT), and site integration test (SIT) | CLC/TC 65X |
| prEN IEC 62382 | Control systems in the process industry - Electrical and instrumentation loop check | CLC/TC 65X |
| prEN IEC 62561-8 | Lightning protection system components (LPSC) - Part 8: Requirements for components for isolated LPS | CLC/TC 81X |
| prEN IEC 62631-2-3 | Dielectric and resistive properties of solid insulating materials - Part 2-3: Determination of relative permittivity and dielectric dissipation factor (AC methods) - Contact electrode method for insulating films | CLC/SR 112 |
| prEN IEC 62664-1-10 | Fibre optic interconnecting devices and passive components - Fibre optic connector product specifications - Part 1-10: MPO-PC multimode connectors terminated on IEC 60793-2-10 category A1-OM2b to A1-OM5b fibre | CLC/TC 86BXA |
| prEN IEC 62820-1-2 | Building intercom systems - Part 1-2: System requirements - Building intercom systems using the internet protocol (IP) | CLC/TC 79 |
| prEN IEC 62836 | Measurement of internal electric field in insulating materials - Pressure wave propagation method | CLC/SR 112 |
| EN 62852:2015/prA2 | Connectors for DC-application in photovoltaic systems - Safety requirements and tests | CLC/TC 82 |

| | | |
|----------------------|--|-------------|
| prEN IEC 62933-5-1 | Electrical energy storage (EES) systems - Part 5-1: Safety considerations for grid-integrated EES systems - General specification | CLC/SR 120 |
| prEN IEC 63132-5 | Guide for installation procedures and tolerances of hydroelectric machines - Part 5: Bulb turbines and generators | CLC/SR 4 |
| prEN IEC 63132-6 | Guide for installation procedures and tolerances of hydroelectric machines - Part 6: Vertical Pelton turbines | CLC/SR 4 |
| prEN IEC 63203-201-4 | Wearable electronic devices and technologies - Part 201-4: Electronic textile - Determination of abrasion resistance of conductive fabrics | CLC/SR 124 |
| prEN IEC 63203-204-1 | Wearable electronic devices and technologies - Part 204-1: Electronic textile - Test method for assessing washing durability of leisurewear and sportswear e-textile systems | CLC/SR 124 |
| prEN IEC 63296-2 | Portable multimedia equipment - Determination of battery duration - Part 2: Headphones and earphones with active noise cancelling functions | CLC/TC 100X |
| prEN IEC 63341-3 | Railway applications - Rolling stock - Part 3: Fuel cell systems for propulsion - Performance requirements and test methods | CLC/SR 105 |
| prEN IEC 63430 | Data container format for wearable sensor | CLC/TC 100X |
| prEN IEC 80601-2-30 | Medical electrical equipment - Part 2-30: Particular requirements for the basic safety and essential performance of automated non-invasive sphygmomanometers | CLC/TC 62 |